



Albi Manufacturing

Division of StanChem, Inc 401 Berlin Street East Berlin, CT 06023

Emergency Telephone Number: CHEMTREC 1-800-424-9300

Information Telephone Number: 860-828-0571 Date of Preparation: 5/7/2018

Section I – Product Identification

Product Number: 16x0024
Product Name: Albi Clad TF
Product Class: Thin Film Mastic

Section II - Hazard Identification

Hazard Pictogram:



Signal Word: Warning

Hazard Statements: May be harmful if swallowed

Causes mild skin irritation Causes eye irritation

May cause respiratory irritation

	Section III-Hazardous Ingredients			
NE – Not Established	N/A – Not Applicable			
Ingredient	Percent	Occupational Exposure Limits ACGIH OSHA TLV TWA STEL Ceiling Skin		Vapor Pressure @20°C
	Wt.		(ppm)	(mmHg)
Titanium Dioxide CAS#13463-67-7	<5.0%	10 10 NE	NE NE	N/A

Section IV - First Aid Measures

First Aid Procedures:

Inhalation: Remove individual to fresh air. Call a physician.

Skin: Wash thoroughly with soap and water. Remove contaminated clothing

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists

consult a physician.

Ingestion: Dilute with clear fluid, then immediately call a Physician or the Poison Control Center.

16x0024 Page 2 of 4

Section V - Fire and Explosion Hazard Data

Flammability Classification:

OSHA Not flammable DOT Not flammable

Flash Point N/A LEL N/A

CO₂ Dry Chemical **Extinguishing Media:** Foam Alcohol Foam Fog

Unusual Fire and Explosion Hazards: N/A

Steps to be Taken in Case Contain and remove with inert absorbent

Material is Released or

Spilled

Section VII - Safe Handling and Storage Empty containers may contain product residue; follow MSDS and label warnings even after the Handling:

Section VI - Accidental Release Measures

container has been emptied.

Keep from freezing **Storage:**

Section VIII - Exposure Controls and Personal Protection

Respiratory Protection: Use approved mechanical filters designed to remove airborne particulate.

Ventilation: Local exhaust as required by job conditions to keep TLV below acceptable limits. Refer to

OSHA regulations 29 CFR Part 1910.94.

Protective Gloves: Recommended

Use safety eyewear with splash guards or side shields **Eye Protection:**

Other Protective Equipment: Wear protective clothing

Hygienic Practices: Eye wash should be available. Use under well ventilated conditions. Personnel should wash

thoroughly after handling product. Always wash-up before eating, smoking or using the toilet

facilities.

Other Precautions: Avoid contact with eyes and skin

Section IX - Physical Data

Boiling Point 212 F

Weight per Gallon 11.2-11.8 lb./gal **Percent Volatility** 25.0 - 27.0 % **Solids** 73.0-75.0% **VOC content:** 15.6 g/L pН 7.5-8.5

16x0024 Page 3 of 4

Section X – Stability and Reactivity

Stability: Stable

Hazardous Polymerization: Will Not Occur

Hazardous Decomposition

Products:

Combustion may produce carbon dioxide and/or carbon monoxide.

Conditions To Avoid: N/A

Incompatibility[Materials to avoid]:

Strong oxidizing agents

Section XI - Toxicological Information

Primary Routes of Exposure

Skin Contact Inhalation

Medical Conditions

Sinus

Dermatitis

Prone to Aggravation

by Exposure:

Product Toxicology

Carcinogenicity: NTP?

IARC Monographs? No OSHA Regulated? No

No

Section XII – Ecological Information

Potential to Bioaccumulate: Unknown

Aquatic Toxicity: No data available for this product

Section XIII - Disposal Considerations

Waste Disposal Methods:

Disposal should be in accordance with local, state and federal regulations.

Section XIV - Transportation

Proper Shipping Name:Latex PaintTechnical Name:Albi Clad TFIdentification Number:Not Regulated

Hazard Class/Division: NA
Packing Group: NA

The information provided herein may not include the impact of additional regulatory requirements (e.g. for materials meeting the definition of a hazardous waste under RCRA, hazardous substances under CERCLA, and/or marine pollutants under CWA or other similar federal, state or local laws) or any associated exceptions or exemptions under regulations applicable to the transport of this material.

Section XV - Regulatory Information

16x0024 Page 4 of 4

<u>TSCA</u>
All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

Section XVI - Other Information **Hazard Rating Systems** NFPA 704* HMIS** Key: 0 - Insignificant; Health: 1 Health: 1 1=Slight 2 = Moderate; **Flammability** 0 **Flammability** 0 3=High 4= Extreme; Reactivity 0 Reactivity E= Eye Protection and gloves, dust mask **Personal Protection**

NOTICE

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of StanChem's knowledge or obtained from sources believed by StanChem to be accurate. StanChem does not assume any legal responsibility for use or reliance upon same information. Customers are encouraged to conduct their own tests. For additional technical information contact StanChem.

^{*}National Fire Protection Association rating identifies the severity of hazards of material during a fire emergency (i.e., "on fire")

^{**}Hazardous Materials Identification System, National Paint and Coatings
Association rating applies to product "as packaged" (i.e., ambient temperature)